

1 **IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

2 Application Serial No.10/615,750
3 Filing Date July 8, 2003
4 Inventor Bartz et al.
5 Group Art Unit 3621
6 Examiner Pierre E. Elisca
7 Attorney's Docket No.AC1-0002US
8 Title: RFID Transponder Dispenser & Authorizer

9 **AMENDMENT TO RECONCILE SPECIFICATION**
10 **WITH CORRECTED DRAWINGS**

11 To: Commissioner for Patents
12 P.O. Box 1450
13 Alexandria, Virginia 22313-1450
14
15 From: Frank J. Bozzo (Tel. 206-315-4001 x103; Fax 509-323-8979)
16 **Customer No. 29150**
17 Lee & Hayes PLLC
18 421 W. Riverside Avenue, Suite 500
19 Spokane, WA 99201

20 Dear Sir:

21 This paper accompanies a Notice of Corrected Drawings and the corrected
22 drawings themselves.
23
24
25

INTRODUCTORY COMMENTS

This Amendment includes amendments to the specification in order to reconcile the specification with the corrected drawings submitted along with accompanying Notice of Corrected Drawings

Remarks Regarding the Corrected Drawings begins on page 3.

Amendments to the Specification begin on page 4.

1 **REMARKS REGARDING THE AMENDMENT TO THE DRAWING**

2 To address the objections made by the official draftsman in the Notice
3 Regarding Drawings mailed December 29, 2005, applicants herewith submit
4 corrected drawings. More specifically, the official draftsman noted that the line
5 quality was poor in Figures 1-15, impermissible solid black shading was used in
6 Figures 2A through 3B, characters were of insufficient height in Figures 1-15, and
7 figure labels were incorrectly placed in Figures 1, 7, 8, and 12.

8 In addition to removing the solid black shading, to accommodate the
9 changes needed to increase the character sizes and address the objections noted by
10 the official draftsman, five of the flow diagrams were separated into sections
11 and presented in sets of figures presented on separate sheets:

12 Figure 1 is replaced by a set of figures including Figures 1A and 1B;

13 Figure 5 is replaced by a set of figures including Figures 5A -5D;

14 Figure 6 is replaced by a set of figures including Figures 6A - 6D;

15 Figure 7 is replaced by a set of figures including Figures 7A and 7B; and

16 Figure 8 is replaced by a set of figures including Figures 8A and 8B.

17 Callouts including the reference number and figure designation are used to
18 indicate the interrelationship between connected elements on separate sheets of
19 drawings.

20 Other than changes made to meet the requirements specified in the Notice,
21 the only change to the drawings was changing reference number "140" to "1610"
22 in Figure 5B to correct an inadvertent error and provide consistent numbering of
23 the referenced element with identical elements in Figures 1A and 8A
24
25